

# Annual Statement

Fern Ridge School District 28J certifies the following:

## 1. Responsible Persons

The person responsible for implementing and administering the Healthy and Safe Schools (HASS) Plan is:

Name: Michelle Marshall  
Position Title: Director of K-12 Programs  
Phone Number: 541-935-2253  
Email Address: [mmarshall@fernridge.k12.or.us](mailto:mmarshall@fernridge.k12.or.us)  
Mailing Address: 88834 Territorial Road, Elmira, OR 97437

The person who is the designated Integrated Pest Management (IPM) Coordinator is:

Name: Dan Prutzman  
Position Title: Maintenance and Facilities Director  
Phone Number: 541-935-2253 ext. 1211  
Email Address: [maintenance@fernridge.k12.or.us](mailto:maintenance@fernridge.k12.or.us)  
Mailing Address: 88834 Territorial Road, Elmira, OR 97437

The person responsible for Asbestos Hazard Emergency Response Act (AHERA) information is:

Name: Dan Prutzman  
Position Title: Maintenance and Facilities Director  
Phone Number: 541-935-2253 ext 1211  
Email Address: [maintenance@fernridge.k12.or.us](mailto:maintenance@fernridge.k12.or.us)  
Mailing Address: 88834 Territorial Road, Elmira, OR 97437

## 2. Copies of the Healthy and Safe Schools Plan

Copies of the plan are available at each of the following locations:

- Hard copies available at the FRSD District Office: 88834 Territorial Road, Elmira, OR 97437
- Posted on the FRSD website. Direct link here: [CLICK HERE](#)

## 3. Testing Certification

FRSD 28j certifies that it is in compliance with all plan components, including any and all testing required by any part of the plan.

#### 4. Testing Results

The FRSD is current with all required testing as of the date of this document. Test results can be found on the FRSD website at <https://www.fernridge.k12.or.us/district-and-state-reports/>. The FRSD will also use current district email lists or communications programs to provide final test results to staff, students, parents of minor students, and other members of their community. This includes providing actual final test results or providing direct access to final test results through links in the communications. Please contact Michelle Smith at [msmith@fernridge.k12.or.us](mailto:msmith@fernridge.k12.or.us) to be added to current district email lists and programs. Specific test results can be found as follows:

- Lead in Water: <https://www.fernridge.k12.or.us/district-and-state-reports/>
- Radon: <https://www.fernridge.k12.or.us/district-and-state-reports/>

#### 5. Website Link Maintenance

The FRSD certifies that all website links for plan information and test results are current and functional.

#### 6. Major Exposure Reduction Activities

The FRSD has completed the following major activities, which resulted in reduced risk of exposure to hazardous materials:

Facility Name	Building Identification Number (BIN)	Activity resulting in reduced risk of exposure to hazardous materials	Type of hazard addressed	Date of activity	Estimated cost of remediation
Fern Ridge Middle School	20840200	CAB Window Removal	Asbestos	03/2024	\$45,000
Elmira High School	20840400	Ceiling Removal	Asbestos	12/2023	\$50,000
Elmira High School	20840400	Replaced Fixtures	Lead in Water	01/2023	\$500
Veneta Elementary	20840300	Replaced Fixtures	Lead in Water	01/2023	\$2500

#### 7. Radon Testing Summary (Optional)

The FRSD completed comprehensive radon testing at all buildings in 2019. The next testing is scheduled for 2029. **I certify that the above information is true and accurate to the best of my knowledge.**

Gary E. Carpenter, Jr.	Superintendent	07/22/24
<b>Electronic signature of Authorized Representative</b>	<b>Title</b>	<b>Date of Annual Certification</b>